

SAFETY DATA SHEET

SECTION 1	PRODUCT AND COMPANY IDENTIFICATION		
Trade Name:	K-Mag®, all grades		
Chemical Name:	Potassium Magnesium Sulfate		
CAS Number:	14977-37-8		
Chemical Family:	Inorganic Salt		
Synonyms:	Potassium Magnesium Sulfate SPM Langbeinite Sulfate of Potash Magnesia		
Primary Use:	Crop nutrient		
	Corporate Headquarters	The Mosaic Company 101 East Kennedy Blvd, Ste 2500 Tampa, FL 33602	
Company Information:	US Guarantor	Mosaic Global Sales, LLC 13830 Circa Crossing Drive Lithia, FL 33547	
	Canada Guarantor	Mosaic Canada Crop Nutrition, LP 1700 – 2010 12th Ave. Regina, SK Canada S4P 0M3	
	Contact Info	www.mosaicco.com (800) 918-8270 or (813) 775-4200	
EMERGENCY OVER		CY OVERVIEW	
Emergency Telephone:	24 Hour Emergency Telephone Number: <u>For Chemical Emergencies</u> : Spill, Leak, Fire or Accident Call CHEMTREC		
	North America: (800) 424-9300 (reference CCN201871) Others: (703) 527-3887 (collect)		

SECTION 2	HAZARD IDENTIFICATION
OSHA/HCS Status:	This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
GHS Classification:	Not Classified
	Signal Word: not applicable Hazard Statement(s) Not applicable
Label Elements:	
Prevention:	Not applicable
Response:	Not applicable
Storage:	Not applicable
Disposal:	Not applicable
Other Hazards which do not require classification:	Handling and/or processing of this material may generate dust which can cause mechanical irritation of the eyes, skin, nose and throat.

Status: Revised Section(s) Revised: 1, 2, 10, 14 Revision Date: Oct 12, 2022 Page 1 of 6

Issue Date: 06/01/2015 SDS #: MOS 100042



SECTION 3	COMPOSITION INFORMATION ON INGREDIENTS		
Formula:	K ₂ SO ₄ · 2MgSO ₄		
Composition:	Potassium Magnesium Sulfate (Langbeinite) Sodium Chloride	CAS 14977-37-8 CAS 7647-14-5	94.5-99.5% 0.5-2.0%

SECTION 4	FIRST AID MEASURES		
First Aid Procedures:	Eyes:	Move victim away from exposure and into fresh air. Flush eyes with plenty of clean water for at least 15 minutes. If symptoms persist, seek medical attention.	
	Skin:	Wash contaminated area thoroughly with mild soap and water. If chemical or solution soaks through clothing, remove clothing and wash contaminated skin. If irritation develops and persists after washing, seek medical attention.	
	Inhaled:	If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, seek medical attention.	
	Ingestion:	If large amounts are swallowed, seek emergency medical attention. If possible, do not leave victim unattended and observe closely for adequacy of breathing.	
Note to Physician:	None Known		

SECTION 5	FIRE FIGHTING MEASURES	
Extinguishing Media:	Use extinguishing agent suitable for type of surrounding fire.	
Protection of Firefighters:	No unusual fire or explosion hazards are expected. Combustion can yield oxides o sulfur when heated above 1000°F (537°C).	
	Positive pressure, self-contained breathing apparatus is required for all firefighting activities involving hazardous materials. Full structural firefighting (bunker) gear is the minimum acceptable attire. The need for proximity, entry, flashover and/or special chemical protective clothing (see Section 8) needs to be determined for each incident by a competent firefighting safety professional.	
	Water used for fire suppression and cooling may become contaminated. Discharge to sewer system(s) or the environment may be restricted, requiring containment and proper disposal of water (see Section 6).	

SECTION 6	ACCIDENTAL RELEASE MEASURES		
Response Techniques:	Stay upwind and away from spill (dust hazard). Wear appropriate protective equipment, including respiratory protection, as conditions warrant (see Section 8). Prevent spilled material from entering sewers, storm drains, other unauthorized treatment drainage systems, and natural waterways. Notify appropriate federal, state, and local agencies as may be required (see Section 15). Minimize dust generation. Sweep up and package appropriately for disposal. Large spills can harm or kill vegetation.		

Status: Revised Section(s) Revised: 1, 2, 10, 14 Revision Date: Oct 12, 2022 Page **2** of **6** Issue Date: 06/01/2015

SDS #: MOS 100042



SECTION 7	HANDLING AND STORAGE		
Handling:	The use of appropriate respiratory protection is advised when concentrations exceed any established exposure limits (see Section 8). Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Wash contaminated clothing or shoes. Use good personal hygiene practices.		
Storage:	Use and store this material in dry, well-ventilated areas. Store only in approved containers. Keep container(s) tightly closed. Keep away from any incompatible material (see Section 10). Protect container(s) against physical damage. Material may absorb moisture from the air.		

SECTION 8	EXPOSURE CONTROLS / PERSONAL PROTECTION		
Engineering Controls:	Use process enclosure, general dilution ventilation or local exhaust systems where necessary to maintain airborne dust concentration below the OSHA standards or in accordance with applicable regulations.		
	Eye/Face:	Approved eye protection to safeguard against potential eye contact, irritation, or injury is recommended.	
	Skin:	The use of cloth or leather work gloves is advised to prevent skin contact, possible irritation and absorption.	
Personal Protective Equipment (PPE):	Respiratory:	A NIOSH approved air purifying respirator with a type 95 (R or P) particulate filter may be used under conditions where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited (see manufacturer's respirator selection guide). Use a positive pressure air supplied respirator if there is potential for uncontrolled release, exposure levels are not known or any other circumstances where air purifying respirators may not provide adequate protection. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed if workplace conditions warrant a respirator.	
	Other:	A source of clean water should be available in the work area for flushing eyes and skin.	
General Hygiene Considerations:	Wash thoroughly after handling Use adequate ventilation		
Exposure Guidelines:	OSHA Permissible Exposure Limits (PEL):		Particulates Not Otherwise Regulated: 5 mg/m³ TWA (respirable); 15 mg/m³ TWA (total)
	ACGIH Threshold Limit Value (TLV):		Particulates Not Otherwise Specified: 3 mg/m³ TWA (respirable); 10 mg/m³ TWA (inhalable)

 Status: Revised
 Page 3 of 6
 Issue Date: 06/01/2015

 Section(s) Revised: 1, 2, 10, 14
 SDS #: MOS 100042

Section(s) Revised: 1, 2, 10, 14 Revision Date: Oct 12, 2022



SECTION 9	PHYSICAL AND CHEMICAL PROPERTIES			
Note: Unless otherwise stated, values in this section are determined at 20°C (68°F) and 760 mm Hg (1 atm).				
Appearance:	White and pink to gray, crystalline or granular	Vapor Pressure (mm Hg):	Not applicable	
Odor:	None	Vapor Density (air=1):	Not applicable	
Odor Threshold:	No data available	Specific Gravity or Relative Density:	2.81 – 2.85	
Physical state:	Crystalline or granular solid	Bulk Density: Loose 83 - 94 lbs/ft ³ (1300 - 1505 kg/m³);		
pH:	Approx. 7 in a 5% solution	Solubility in Water:	240 – 300 g/L @ 72°F (22°C)	
Melting Point/ Freezing Point:	972°C (1700°F)	Partition coefficient:	No data available	
Boiling Point:	Not applicable	Auto-Ignition Temperature:	Not applicable	
Flash Point:	Not applicable	Decomposition Temperature:	No data available	
Evaporation Rate:	No data available	Viscosity:	No data available	
Flammability:	Not applicable	Volatility:	Not applicable	
Upper/lower Flammability or explosive limits	Not applicable			

SECTION 10	STABILITY AND REACTIVITY	
Chemical Stability:	Stable under normal conditions of storage and handling.	
Conditions to Avoid:	Mildly corrosive to metals in the presence of moisture.	
Incompatible Materials:	Strong oxidizing agents, strong acids	
Hazardous Decomposition Products:	Combustion can yield oxides of sulfur when heated above 1000°F (537°C).	
Reactivity:	Product displays no reactivity hazard under normal or anticipated use, handling and storage conditions.	
Hazardous Polymerization:	Will not occur	

SECTION 11	TOXICOLOGICAL INFORMATION		
Substance:	Potassium Magnesium Sulfate	e	
Acute Oral Toxicity:	No data available		
Acute Inhalation Toxicity:	No data available		
Acute Dermal Toxicity:	No data available		
Substance:	Sodium Chloride		
Acute Oral Toxicity:	LD_{50} (rat, oral) > 3000 mg/kg LD_{50} (mouse, oral) > 4000 mg/kg		
Acute Inhalation Toxicity:	LC ₅₀ (rat) > 42 g/m ³ / 1 hour		
Acute Dermal Toxicity:	No data available		
Mutagenesis:	No data available Target Organ No data available		
Developmental Toxicity:	No data available	Carcinogenicity	No data available

Status: Revised Section(s) Revised: 1, 2, 10, 14 Revision Date: Oct 12, 2022 Page 4 of 6

Issue Date: 06/01/2015 SDS #: MOS 100042



SECTION 12	ECOLOGICAL INFORMATION	
Ecotoxicology:	When dissolved in water, sodium chloride creates an elevated level of salinity that may be harmful to fresh water aquatic species and to plants that are not salt-tolerant.	

SECTION 13	DISPOSAL CONSIDERATIONS			
	Recover or recycle if possible. Properly characterize all waste materials. Consult federal, state/provincial and local regulations regarding the proper disposal of this material. Prevent material from entering sewers, storm drains, other unauthorized treatment drainage systems, and natural waterways.			

SECTION 14	TRANSPORT INFORMATION		
Regulatory Status:		Not regulated	
Identification Number:		HTS 3104.90.0100	
Hazard Class:		Not applicable	
Proper Shipping Name		Not applicable	
Packing Group		Not applicable	
DOT Emergency Response Guide Number:		Not applicable	
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:		Not applicable	
MARPOL Annex V:		Non-HME	
IMO/IMDG:		Not regulated	

SECTION 15	REGULATORY INFORMATION						
CERCLA:	Not listed						
RCRA 261.33:	Not listed						
SARA TITLE III: (Exemptions at 40 CFR, Part 370 may apply for agricultural use, or for quantities of less than 10,000 pounds on-site.)	Section 302/304:	Not listed	RQ: No		TPQ: No		
	Section 311/312:						
	Acute: No	Chronic: No	Fire: No Pressure: No		Reactivity: No		
	Section 313: Not listed						
NTP, IARC, OSHA:	This material has not been identified as a carcinogen by NTP, IARC, or OSHA.						
Canada DSL and NDSL:	DSL: Yes NDSL: Not listed						
TSCA:	Potassium Magnesium Sulfate (Langbeinite) is a naturally occurring chemical substance processed only by mechanical means that is exempted from TSCA listing per 40 CFR, Part 710.26(d). Sodium chloride is listed in the TSCA Inventory.						

Status: Revised Section(s) Revised: 1, 2, 10, 14 Revision Date: Oct 12, 2022 Page **5** of **6** Issue Date: 06/01/2015

SDS #: MOS 100042



CA Proposition 65: (Health & Safety Code Section 25249.5)	⚠ WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov
WHMIS:	WHMIS 2015 This SDS has been prepared according to the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all of the information required by the HPR.

SECTION 16	OTHER INFORMATION						
Disclaimer:	The information in this document is believed to be correct as of the date issued. HOWEVER, MOSAIC MAKES NO GUARANTEE, REPRESENTATION, OR WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION, THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO THE USE OF THIS PRODUCT. User is responsible for determining whether this product is fit for a particular purpose and suitable for user's method of use or application and assumes the risk of use thereof. The conditions and use of this product are beyond the control of Mosaic, and Mosaic disclaims any liability for loss or damage incurred in connection with the use or misuse of this product. Each user should review the recommended industrial hygiene and safe handling procedures in the specific context of the intended use and determine whether they are appropriate.						
Preparation:	The preparation of this SDS was in accordance with ANSI Z400.1-2010.						
Revision Date:	Oct 12, 2022						
Sections Revised:	1, 2, 10, 14						
SDS Number:	MOS 100042						
References:	Globally Harmonized System of Classification and Labelling of Chemicals (GHS) – 4 th Edition 2011 OSHA Hazard Communication Standard, 2012 MARPOL Annex V; The Fertilizer Institute (TFI), 2003; TOXNET Tomes, Toxnet, Grant (4th Ed.), RTECS						
	NFPA HAZAR	D CLASS	Н	MIS HAZAF	RD CLASS		
	Health:	1	Health:		1		
	Flammability:	Flammability: 0 Flammabili		mmability:	0		
	Instability:	0	Physical Hazard:		0		
Other Hazard Classifications:	Special Hazard:	None	PP	E:	Section 8		
	WHMIS 2015 (HPR) HAZARD						
	Signal Word	N/A					
	Symbol	N/A					
	Classification	Not WHMIS Controlled					
	Hazard Statements	N/A					